





VIS-69 Video Center

- Full-HD excellent image resolution.
- Image capturing and video recording can be stored USB disk.
- Review stored image and video anytime.
- 2.5x Electronic magnification.
- Assign one file for each case and patient data is editable with keyboard.
- All-in-one design with processor, LED light source.

| VIS-69 Specification | | | |
|-----------------------------------|---|--|--|
| Lamp | LED Lamp 40W | | |
| Color temperature | 5500 K | | |
| Average working life | 35000 hours | | |
| Brightness adjustment | Manually | | |
| Image setting function | Automatic white balance, Sharpness adjustment, Color adjustment, Saturation adjustment, Contrast adjustment, Brightness adjustment, Electronic magnification, Noise reduction, IRIS | | |
| Output format | Full-HD | | |
| Digital signal output | DVI *2 | | |
| Freeze | Yes | | |
| Image capture and Video recording | Yes, can be stored USB disk | | |
| Review | Image and video can be reviewed | | |
| Data management | Assign one file for each case and patient data is editable | | |



69 Series Video Endoscope

A wide variety of 69 series endoscopes can be used for different application from GI to bronchus treatment.

| Gastroscope Specification | | | | | | |
|---------------------------|--|---------------|--------------|--------------|--------------|--------------|
| Туре | GVE- H69P | GVE- H69PQ | GVE- H69S | GVE- H69X | GVE- H69Q | GVE- H69T |
| Field of view | 120° | 120° 145° | | | | |
| Depth of view | 3-100mm | | | | | |
| Bending capability | UP/Down: 210 °/ 90 ° Left/Right: 100 °/ 100 ° | | | | | |
| Distal end OD | 6.0mm | 8.3mm | 8.3mm | 9.2mm | 9.6mm | 9.8mm |
| Insertion tube OD | 6.0mm | 8.3mm | 8.3mm | 9.2mm | 9.6mm | 9.8mm |
| Working Channel ID | 2.0mm | 2.8mm | 2.2mm | 2.8mm | 2.8mm | 3.2mm |
| Working Length | 1050mm | | | | | |

^{*}GVE-H69P is suitable for Pediatric Gastroscope.

| Colonoscope Specification | | | | | |
|---------------------------|---|---------------|----------|----------|----------|
| Туре | CVE-H 69P | CVE-H69S | CVE-H69I | CVE-H69L | CVE-H69T |
| Field of view | 120° | 145° | | | |
| Depth of view | 3-100mm | | | | |
| Bending capability | UP/Down: 180 °/ 180 ° Left/Right: 160 °/ 160 ° | | | | |
| Distal end OD | 10.8mm 12.8mm | | | | |
| Insertion tube OD | 10.8mm | 10.8mm 12.8mm | | | |
| Working channel ID | 3.2mm | 3.7mm | | | |
| Working length | 1330mm | 800mm | 1330mm | 1550mm | 1700mm |

^{*}CVE-H69P is suitable for Pediatric Colonoscope. *CVE-H69S is suitable for Sigmoidoscope



69 Series Video Endoscope

A wide variety of 69 series endoscopes can be used for different application from GI to bronchus treatment.

| Bronchoscope Specification | | | | |
|----------------------------|--------------------------------------|-------|--|--|
| Туре | VB -H69 Q VB-H69S | | | |
| Field of view | 120° | | | |
| Depth of view | 3-50 _{mm} | | | |
| Bending capability | UP/Down: 180 °/130 ° UP/Down: 180 °/ | | | |
| Distal end OD | 5.8mm | 3.2mm | | |
| Insertion tube OD | 5.3mm 3.2mm | | | |
| Working channel ID | 2.0mm | 1.2mm | | |
| Working length | 600 mm | 700mm | | |

| Nasopharyngoscope Specification | | | | |
|---------------------------------|----------------------|----------------------|--|--|
| Туре | VN-H 69 Q | VN-H 69 P | | |
| Field of view | 120° | | | |
| Depth of view | 3-50 _{mm} | | | |
| Bending capability | UP/Down: 130° / 130° | UP/Down: 130° / 130° | | |
| Distal end OD | 5.8mm | 4.3mm | | |
| Insertion tube OD | 5.3mm 3.8mm | | | |
| Working channel ID | 2.0mm No | | | |
| Working length | 450mm | 300mm | | |

| Cystoscope Specification | | |
|--------------------------|------------------------|--|
| Туре | VC-H69Q | |
| Field of view | 120° | |
| Depth of view | 3-50 mm | |
| Bending capability | UP/Down: 210 ° / 120 ° | |
| Distal end OD | 5.8mm | |
| Insertion tube OD | 5.3mm | |
| Working channel ID | 2.0mm | |
| Working length | 380mm | |



